



WELCOME TO

Siyatone Global Pvt Ltd

Founded in 1998, Siyatone has emerged as a pioneering force in the flooring industry. Its headquarters, advanced manufacturing facilities, and research labs are strategically located in Morbi, India.

Specializing in porcelain and ceramic tiles, Siyatone combines innovative designs with unmatched durability. Supported by 1,250 employees and 8 state-of-the-art minerals, ink, and tile production facilities, Siyatone achieved a remarkable turnover of \$146 million in 2023.

As a trusted leader, Siyatone blends expertise, sustainability, and excellence to meet global demands and shape the future of the flooring industry.







More Than 110k Sq. Mtr.



27+ Year Of Experience



More Than 1250+ Employee



5 Unit Ceramic and 3 Unit Minerals



52+ Country Served



Worldwide Customers





Siyatone brings life to every corner of your space. From walls to floors, our tiles are designed to infuse vibrancy, elegance, and durability into every nook, turning houses into homes and spaces into experiences.



TRANSFORMING SPACES, BREATHING LIFE



The ShineLux Collection highlights polished, high-gloss surfaces that reflect light beautifully, exuding luxury and sophistication. These tiles are perfect for spaces that demand a premium and spacious feel, adding a touch of brilliance to any interior.

















Armani Granger Brown



Bracia Aurora Dove



Brazilian Coffee Brazilian Brown



Breccia Ice Natural



Centy Brown



Dyna Suprim Brwon



Jupitar Brown



Lasa Brown





Marlon Dove



Marlon Brown



Nexus Brown



Nordic Brown



Oxid Coffee



Palpis Brown



Palpis Elite Beige



Petra Brown

Eden Brown



Parlino Brown

Nordic Brown



Rivar Villa Brown

Palpic Star Brown



Trixxon Brown





Tuff Dyna Natural



Castona Gris

Pitosa Brown



Clinker Natural





Falcon Caffé



Hunton Brown















Peronda Café





Armani Bosco Brown

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3























Armani Granger Brown

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3

























Bracia Aurora Dove

THICKNESS FINISH RANDOM
9 MM POLISHED 3


























Brazilian Brown

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3

























Brazilian Coffee

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3






















Breccia Ice Natural

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	4























Centy Brown

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3






















Dyna Suprim Brwon

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3


























Jupitar Brown

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3
























Lasa Brown

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	4

























Laguna Beige

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3


























Marlon Dove

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3






















Marlon Brown

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3























Nexus Brown

THICKNESS FINISH RANDOM
9 MM POLISHED 4

























Nordic Brown

THICKNESS FINISH RANDOM
9 MM POLISHED 7


























Oxid Coffee

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	4


























Palpis Brown

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3






















Palpis Elite Beige

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3























Petra Brown

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3























Parlino Brown

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3
























Rivar Villa Brown

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3

























Trixxon Brown

THICKNESS FINISH RANDOM
9 MM POLISHED 4























Tuff Dyna Natural

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3






















Cinova Brown

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3























Eden Brown

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3
























Nordic Brown























Palpic Star Brown

9 MM	POLISHED	3
THICKNESS	FINISH	RANDOM
























Pitosa Brown























Castona Gris























Clinker Natural























Falcon Caffé























Hunton Brwon






















Maxima Brown























Maxima Café























Mistri Brown
























Orion Brown

THICKNESS FINISH RANDOM **POLISHED** 9 MM 6























Peronda Cafe

THICKNESS FINISH RANDOM























TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN 14411 GROUP Bla	MEAN VALUE OF POLISHED GVT	MEAN VALUE OF RUSTIC GVT	TEST METHO
REGULATORY PROPERTIES				
Deviation in length & width	±0.5 %	±0.1 %	±0.1 %	ISO-10545-
Deviation in thickness	±5.0 %	±4.0 %	±4.0 %	ISO-10545-
Straightness in side	±0.5 %	±0.1 %	±0.1 %	ISO-10545-
Rectangularity	±0.5 %	±0.1 %	±0.1 %	ISO-10545-
Surface flatness	±0.5 %	±0.2 %	±0.2 %	ISO-10545-
Color difference	Unaltered	No change	No change	ISO-10545-1
Glossiness	As per mfg	Min 90%	Min 4%	GLOSSOMET
STRUCTURAL PROPERTIES				
Water absorption	< 0.50 %	< 0.20 %	< 0.20 %	ISO-10545-
Apparent density	> 2.0 g/cc	>2.10 g/cc	>2.10 g/cc	DIN 51082
			'	
MASSIVE MECHANICAL PROF				
Modulus of rupture	Min. 35 N/mm ²	Min. 40 N/mm ²	Min. 40 N/mm ²	ISO-10545-
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-
SURFACE MECHANICAL PROP	PERTIES			
Surface abrasion resistance	As per mfg.	Min. Class-3	Min. Class-4	ISO-10545-
MOH's hardness	As per mfg.	Min. 4	Min. 5	EN 101
THERMO HYGROMETRIC PRO	PERTIES			
Frost resistance	No damage	No damage	No damage	ISO-10545-1
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-
Moisture expansion	Nil	Nil	Nil	ISO-10545-1
Thermal expansion (COE)	Max. 9.0 x 10 ⁻⁶	Max. 6.5x10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	ISO-10545-
Crazing resistance	As per mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO-10545-
CHEMICAL PROPERTIES				
Chemical resistance	No damage	No damage	No damage	ISO-10545-1
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-1
SAFETY PROPERTIES				
Slip resistance	As per mfg.	>0.40	>0.40	ISO-10545-1
Fire resistance	As per mfg.	Fire proof	Fire proof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg.	Does not yield Pb & Cd	Does not yield Pb & Cd	ISO-10545-1

PACKAGING DETAILS

SR. NO	PRODUCT	NOMINAL SIZE	THICKNESS	TILES PER BOX	COVERAGE AREA
1	VITRIFIED TILES	600x1200mm	9mm	2	1.44 Sq. Mtr.

SYMBOLS

Technical Specification













Scratch Resistant

Application symbole







Offices









Wellness Center



E Shopping Area























Thank You



SIYATONE GLOBAL PVT LTD

Regd.Office: Survey No. 105/1 P2, Opp. Intel Vitrified, Jambudiya,

Morbi - 363 642.

CIN: U46909GJ2024PTC156431

Call on: +91 9712590444 Email: info@siyatone.com