









Imagine the rhythmic dance of waves meeting the shore—fluid, timeless, and breathtaking. Just like the ocean carves its beauty into the earth, our tiles encapsulate this natural elegance, bringing depth and serenity into every space. With flowing patterns, glossy textures, and rich aquatic hues, this collection mirrors the ocean's effortless grandeur.

Where The Ocean Meets Timeless Design.

Experience the perfect fusion of nature's oceanic beauty and enduring design, bringing serene, timeless elegance to every space.

Reflects the seamless blend of artistic craftsmanship and oceanic inspiration, offering surfaces that capture the essence of water's fluid motion and the enduring beauty of coastal landscapes. Perfect for interiors that seek a touch of nature's tranquility with the durability of modern tile design.

Inspired by the ever-changing beauty of the ocean, our tile collection brings the fluidity, depth, and tranquility of the sea into your space.

Bringing The Ocean's Serenity into Every Space.

Transform your space with the calming beauty of ocean-inspired tiles, bringing serenity to every surface.

With each tile, we capture the essence of oceanic waves, coral formations, and coastal landscapes, offering surfaces that are as timeless as the ocean itself. Ideal for both residential and commercial spaces, these tiles offer unmatched durability, beauty, and a serene aesthetic that transforms any environment.





Bring the ocean's serenity into your space with tiles inspired by rhythmic waves and coastal elegance. From deep blues to sunlit hues, each design captures the tranquil beauty of the sea.

Let the Ocean's Beauty Shape Your Space.

These tiles create a serene, sophisticated, and timeless living space.

2. OUT



Conventional Installation On Screed



Installation On Grass.



Installation On Sand or Gravel.




Raised Installation On Pedestals.

Crafted for elegance, these tiles blend ocean-inspired beauty with modern design, turning any space into a serene sanctuary.



Index





| | | 18 | |
|---|-------|----|--|
| F | 0 | 1 | |
| 1 | · · · | 9 | |
| | | æ | |

Deep Abrasion Resistance

ISO 10545-6 ≤ 175 mm³

*

DCOF > 0,42



MOSAICS




30x30 12"x12" Rett. Square 5x5 Pigmento Carbone



30x30 12"x12" Rett. Square 5x5 Pigmento Mattone




30x30 12"x12" Rett. Square 5x5 Pigmento Fango




30x30 12"x12" Rett. Square 5x5 Pigmento Gesso



30x30 12"x12" Rett. Square 5x5 Pigmento Oro




30x30 12"x12" Rett. Square 5x5 Pigmento Orrido



30x30 12"x12" Rett. Square 5x5 Pigmento Polvere

Grippon

| | Pigmento Mattone | \leq |
|----|------------------|--------|
| | Pigmento Gesso | \leq |
| | Pigmento Fango | \leq |
| 50 | Pigmento Carbone | \leq |
| | Pigmento Oro | \leq |
| | Pigmento Ossido | \leq |
| | Pigmento Polvere | \leq |
| | SHEET/BOX | 10 |



MOSAICS



30x30 12"x12" Rett. Hexagon 5x5 Pigmento Carbone



30x30 12"x12" Rett. Hexagon 5x5 Pigmento Fango



30x30 12"x12" Rett. Hexagon 5x5 Pigmento Gesso



30x30 12"x12" Rett. Hexagon 5x5 Pigmento Mattone



30x30 12"x12" Rett. Hexagon 5x5 Pigmento Orrido



30x30 12"x12" Rett. Hexagon 5x5 Pigmento Oro



30x30 12"x12" Rett. Hexagon 5x5 Pigmento Polvere

Grippon

| Pigmento Mattone | \subseteq |
|------------------|-------------|
| Pigmento Gesso | \leq |
| Pigmento Fango | \leq |
| Pigmento Carbone | \leq |
| Pigmento Oro | \leq |
| Pigmento Ossido | \leq |
| Pigmento Polvere | \boxtimes |
| SHEET/BOX | 10 |







From The Depths of The Ocean To Your Home.

Inspired by ocean depths, our tiles bring serene elegance and timeless beauty to your home.










Our Tiles Capture The Graceful Movement Of Ocean Waves, Bringing a Sense Of Fluidity & Elegance To Your Space.



- * Slabs Produced Using Coloured Body Mix Available in Standard Shades * Available While Stocks Last







CARBONE











SIZE & SURFACES









FANGO











SIZE & SURFACES



60x120 23,62"x47,24"








GESSO











SIZE & SURFACES









MATTONE











SIZE & SURFACES









SIZE & SURFACES



60x120 23,62"x47,24"

ORO

















OSSIDO











SIZE & SURFACES









POLVERE











SIZE & SURFACES





Technical Information

Tile Collection Performance Based On Industry Standard

General Technical Information

| \Diamond | WATER ABSORPTION | ANSI / ISO - (%) | ≤ 0.5% |
|------------|---------------------|------------------------------------|--|
| | ABRASION RESISTANCE | ANSI / ISO | CLASS 4 |
| | SCRATCH HARDNESS | GLOSSY CLASS 3 MATT ≥ CLASS 6 | 5 |
| 85 | BREAKING STRENGTH | ANSI - (lbf) ISO - (N) | ≥ 275 > 1300 |
| | SHADE VARIATION | | V3 |
| | SLIP RESISTANCE | ANSI - DCOF (WET) ISO - R VALUE | POLISHED < 0.42 MATT ≥ 0.50 MATT R9 - R11 |
| <u></u> | CHEMICAL RESISTANCE | ANSI / ISO | CLASS A |
| Z | STAIN RESISTANCE | ANSI ISO | CLASS A CLASS 3 |
| * | FROST RESISTANCE | ANSI / ISO | PASS |
| | | | |

Test values are based on ANSI / ISO standards according to: ANSI A137.1- Polished And Matt Porcelain tile only P1 Class, ISO 13006 - G - Bia Group, En 14411 - G - Bia Group. Variances In test values can occur in different production lots.

Usage Recommendation

Grippon


Interior

| Application | Wall | Floor |
|------------------|-------------|-------------|
| Residential | \subseteq | Y |
| Commercial | \subseteq | \boxtimes |
| Heavy Commercial | \subseteq | \subseteq |
| Residential & | X | \boxtimes |

Exterior

DCOF Classifications per ANSI A326.3: (ID): Interior, Dry (IW): Interior, Wet (IW+): Interior, Wet Plus (EW): Exterior, Wet (O/G): Oils/Greases

* Factors other than the noted DCOF result must also be taken into consideration. Such factors include, but are not limited to, expected contaminants, drainage, surface texture, effect of structure on the DCOF measurement, number of grout joints, traction-enhancing features, and intended use in addition to the other criteria noted in standard ANSI A326.3



^{*} These recommendations are not defined by ANSI/ISO standards.





SIYATONE GLOBAL PVT LTD

Regd.Office : Survey No. 105/1 P2, Opp. Intel Vitrified, Jambudiya, Morbi - 363 642.

Call On: +91 97125 90444 | Email: meet@siyatone.com

www.siyatone.com